

## **Publications**

### *Journal Articles*

- Duhon, B.H., **Bielefeld, E.C.**, Ren, Y., Naidoo, J. (2024). Gene Therapy Advancements for the Treatment of Acquired and Hereditary Hearing Loss. Frontiers in Audiology and Otology, 2: 1423853.
- Reynolds, A., **Bielefeld, E.C.** (2023). Music as a unique source of noise-induced hearing loss. Hearing Research, 430: 108706.
- DeBacker, J.R., Hu, B.H., **Bielefeld, E.C.**, (2022). Mild hearing loss in C57BL6/J mice after exposure to antiretroviral compounds during gestation and nursing. International Journal of Audiology, in press.
- Debacker, J.R., Langenek, B., **Bielefeld, E.C.** (2022). Hearing loss in offspring exposed to antiretrovirals during pregnancy and breastfeeding. Frontiers in Molecular Neuroscience, 15: 920528.
- Harrison, R.T., DeBacker, J.R., Trevino, M., **Bielefeld, E.C.**, Lobarinas, E. (2022). Cochlear Preconditioning as a Modulator of Susceptibility to Hearing Loss. Antioxidants and Redox Signaling, 36, 1215-1228.
- Bielefeld, E.C.**, Gonzalez, A., DeBacker, J.R. (2021). Changing the time intervals between cisplatin cycles alter its ototoxic side effect. Hearing Research, 404: 108204.
- Chen, Y.Y., **Bielefeld, E.C.**, Mellott, J.G., Wang, W., Mafi, A., Yamoah, E.M., Bao, J. (2021). Early physiological and cellular indicators of cisplatin-induced ototoxicity. Journal of the Association for Research in Otolaryngology, 22: 107-126.
- DeBacker, J.R., Harrison, R.T., **Bielefeld, E.C.** (2020). Cisplatin-induced threshold shift in the CBA/CaJ, C57BL/6J, BALB/cJ mouse models of hearing loss. Hearing Research, 387: 107878.
- Harrison, R.T., **Bielefeld, E.C.** (2019). Assessing hidden hearing loss after impulse noise in a mouse model. Noise and Health, 21: 35-40.
- Bielefeld, E.C.**, Harrison, R.T., DeBacker, J.R. (2019). Pharmaceutical otoprotection strategies to prevent impulse noise-induced hearing loss. The Journal of the Acoustical Society of America, 146, 3790.
- Bielefeld, E.C.**, Kobel, M.J. (2019). Advances and Challenges in Pharmaceutical Therapies to Prevent and Repair Cochlear Injuries From Noise. Frontiers in Cellular Neuroscience, 13, 285.

- Bielefeld, E.C.**, Markle, A., DeBacker, J.R., Harrison, R.T. (2018). Chronotolerance for cisplatin ototoxicity in the rat. Hearing Research, 370, 16-21.
- Yu, Y., Hu, B., Bao, J., Mulvany, J., **Bielefeld, E.**, Harrison, R.T., Neton, S.A., Thirumala, P., Chen, Y., Lei, D., Qiu, Z., Zheng, Q., Ren, J., Perez-Flores, M.C., Yamoah, E.N., Salehi, P. (2018). Otoprotective effects of *Stephania tetrandra* S. Moore herb isolate against acoustic trauma. Journal of the Association for Research in Otolaryngology (JARO), 19(6), 653-668.
- Harrison, R.T., **Bielefeld, E.C.** (2018). Little evidence for a chronotolerance effect for impulse noise exposure in the C57BL/6J mouse. Neuroscience Letters, 684, 127-131.
- Gombash, S.E., Cowley, C.J., Fitzgerald, J.A., Lepak, C.A., Neides, M., Hook, K., Todd, L., Wang, G.D., Mueller, C., Kaspar, B., **Bielefeld, E.C.**, Fischer, A.J., Wood, J., Foust, K.D. Systemic gene delivery transduces the enteric nervous system of guinea pigs and cynomolgus macaques. Accepted for publication in Gene Therapy.
- DeBacker, J.R., Harrison, R., **Bielefeld, E.C.** (2017). Long-term synergistic interaction of cisplatin-induced and noise-induced hearing losses. Ear and Hearing, 38, 282-291.
- Harrison, R.T., Seiler, B.M., **Bielefeld, E.C.** (2016). Ototoxicity of 12 mg/kg cisplatin in the Fischer 344/NHsd rat using multiple dosing strategies. Anticancer Drugs, 27(8), 780-786.
- Bielefeld, E.C.** (2015) Src inhibitors to prevent noise-induced hearing loss. Drug Discovery Today, 20, 760-765.
- Wiegers, J.S., **Bielefeld, E.C.**, Whitelaw, G.M. (2015). Utility of the Vivosonic Integrity™ auditory brainstem response system as a hearing screening device for difficult-to-test children. International Journal of Audiology, 54, 282-288.
- Harrison, R., DeBacker, J.R., **Bielefeld, E.C.** (2015). A low-dose regimen of cisplatin before high-dose cisplatin potentiates ototoxicity. The Laryngoscope, 125, E78-E83.
- Fetoni, A.R., **Bielefeld, E.C.**, Paludetti, G., Nicotera, T., Henderson, D. (2014). Role of p53 in noise-induced hearing loss: protection with pifithrin-alpha and a Src inhibitor. Neuroscience Research, 81-82, 30-37.
- Bielefeld, E.C.** (2014). Influence of dose and duration of isoflurane anesthesia on the auditory brainstem response in the rat. International Journal of Audiology, 53, 250-258.
- Bielefeld, E.C.** (2013). Age-related hearing loss patterns in Fischer 344/NHsd rats with cisplatin-induced hearing loss. Hearing Research, 306, 46-53.
- Bielefeld, E.C.** (2013). Reduction in noise-induced hearing loss with intra-cochlear application of an NADPH oxidase inhibitor. Journal of the American Academy of Audiology, 24, 1-13.

- Bielefeld, E.C., Tanaka, C.T., Chen, G.D., Coling, D., Li, M., Henderson, D, Fetoni, A.R.** (2013). A Src-PTK inhibitor to reduce cisplatin ototoxicity while preserving its anti-tumor effect. Anticancer Drugs, 24(1), 43-51.
- Bielefeld, E.C., Hoglund, E.M., Feth, L.L.** (2012). Noise-induced suprathreshold changes in forward masking of the rat auditory brainstem response. Hearing Research, 294, 64-72.
- Bielefeld, E. C., Hangauer, D., Henderson, D.** (2011). Protection from impulse noise-induced hearing loss with novel Src-protein tyrosine kinase inhibitors. Neuroscience Research, 71, 348-354.
- Bielefeld, E.C., Wantuck, R., Henderson, D.** (2011). Post-exposure treatment with a Src-PTK inhibitor in combination with NAC to reduce noise-induced hearing loss. Noise & Health, 13(53), 292-298.
- Yang, W.P., Hu, B.H., Chen, G.D., **Bielefeld, E.C., Henderson, D.** (2011). L-NAC protect hair cells in the rat cochlea from injury of exposure to styrene. Journal of Clinical Otorhinolaryngology, Head, and Neck Surgery [Chinese], 25(4), 176-179.
- Bielefeld, E.C.** (2011). Re-thinking noise-induced and age-related hearing losses. Aging Clinical and Experimental Research, 23, 1-2.
- Bielefeld, E.C., Henderson, D.** (2011). Mechanisms of Cisplatin Ototoxicity and Routes for Intervention. Published by ASHA: Perspectives on Hearing and Hearing Disorders: Research and Diagnostics, 15, 3-14. (Invited, editorial review only).
- Chen, G. D., Kermany, M.H., D'Elia, A., Ralli, M., Tanaka, C., **Bielefeld, E. C., Ding, D., Henderson, D., Salvi, R.J.** (2010). Too much of a good thing: Long-term treatment with salicylate strengthens outer hair cell function but impairs auditory neural activity. Hearing Research, 265(1-2), 63-69.
- Bielefeld, E. C., Tanaka, C., Chen, G. D., Henderson, D.** (2010). Age-related hearing loss: Is it a preventable condition? Hearing Research, 264, 98-107.
- Yang, W.P., Hu, B.H., Chen, G.D., **Bielefeld, E.C., Henderson, D.** (2009). Protective effect of N-acetyl-L-cysteine (L-NAC) against styrene-induced cochlear injuries. Acta Otolaryngologica, 129(10), 1036-1043.
- Tanaka, C., **Bielefeld, E.C., Chen, G.D., Li, M., Henderson, D.** (2009). Ameliorative effects of an augmented acoustic environment on age-related hearing loss in middle-aged Fischer 344/NHsd rats. Laryngoscope, 119(7), 1374-1379.
- Tanaka, C., **Bielefeld, E.C., Chen, G.D., Li, M., Henderson, D.** (2009). The effects of acoustic environment after traumatic noise exposure on hearing and outer hair cells. Hearing Research, 250, 10-18.

- Chen, G.D., Li, M., Tanaka, C., **Bielefeld, E.C.**, Hu, B.H., Kermany, M.H., Salvi, R., Henderson, D. (2009). Aging outer hair cells (OHCs) in the Fischer 344 rat cochlea: Function and morphology. Hearing Research, 248, 39-47.
- Hu, B. H., Yang, W.P., **Bielefeld, E. C.**, Li, M., Chen, G. D., Henderson, D. (2008). Apoptotic outer hair cell death in the cochleae of aging Fischer 344/NHsd rats. Hearing Research, 241, 26-33.
- Bielefeld, E.C.**, Coling, D., Chen, G.D., Henderson D. (2008). Multiple dosing strategies with acetyl L-carnitine (ALCAR) fail to alter age-related hearing loss in the Fischer 344/NHsd rat. Journal of Negative Results in Biomedicine, 7(1), 4.
- Bielefeld, E. C.**, Coling, D., Chen, G. D., Li, M., Tanaka, C., Hu, B. H., Henderson, D. (2008). Age-related hearing loss in the Fischer 344/NHsd rat substrain. Hearing Research, 245(1-2), 48-57.
- Bielefeld, E.C.**, Kopke, R. D., Jackson, R. L., Coleman, J. K., Liu, J., Henderson, D. (2007). Noise protection with N-acetyl-l-cysteine (NAC) using a variety of noise exposures, NAC doses, and routes of administration. Acta Otolaryngologica, 127, 914-919.
- Kopke, R. D., Jackson, R. L., Coleman, J. K., Liu, J., **Bielefeld, E. C.**, Balough, B. J. (2007). NAC for noise: From the bench top to the clinic. Hearing Research, 226(1-2), 114-125.
- Bielefeld, E.C.**, Henderson D. (2007). Influence of sympathetic fibers on noise-induced hearing loss in the chinchilla. Hearing Research, 223, 11-19.
- Harris, K.C., **Bielefeld, E.**, Hu, B.H., Henderson, D. (2006) Increased resistance to free radical damage induced by low level sound conditioning. Hearing Research, 213, 118-129.
- Henderson, D., **Bielefeld, E.C.**, Harris, K.C., Hu, B.H. (2006). The Role of Oxidative Stress in Noise-induced Hearing Loss. Ear and Hearing, 27(1), 1-19.
- Bielefeld, E.C.**, Hynes, S., Pryznosch, D., Coleman, J.K.M., Liu, J., Henderson, D. (2005). A comparison of the protective effects of systemic administration of a pro-glutathione drug and a Src-PTK inhibitor. Noise & Health, 7(29), 24-30.
- Bielefeld, E.C.**, Hu, B.H., Harris, K.C., Henderson, D. (2005). Damage and threshold shift resulting from cochlear exposure to Paraquat-generated superoxide. Hearing Research, 207, 35-42.
- Kopke, R., **Bielefeld, E.**, Liu, J., Zheng, J., Jackson, R., Henderson, D., Coleman, J.K. (2005). Prevention of impulse noise-induced hearing loss with antioxidants. Acta Otolaryngologica, 125(3), 235-243.

Imundo, J., **Bielefeld, E.**, Dodge, J., and Badura, L.L. (2001) Relationship between norepinephrine release in the hypothalamic paraventricular nucleus and circulating prolactin levels in the Siberian hamster: role of photoperiod and the pineal gland. Journal of Biological Rhythms, 161, 173-182.

*Book Chapters*

**Bielefeld, E.C.** (2022). Anatomy and Physiology of the Ear: Normal Function and the Damage Underlying Hearing Loss. In Meinke, D., Bright, K. (Eds). The Noise Manual, 6th Edition. American Industrial Hygiene Association, Falls Church, VA.

Escabi, C., Trevino, M., **Bielefeld, E.**, Lobarinas, E. (2020). Noise-Induced Hearing Loss and Drug Therapy; Basic and Translational Science. In Pucheu, S., Radizwon, K., Salvi, R.J. (Eds). New Therapies to Prevent or Cure Auditory Disorders. Springer, New York.

**Bielefeld, E.C.** (2011) Effects of Early Noise Exposure on Subsequent Age-Related Changes in Hearing. In: Le Prell, C.G., Henderson, D., Fay, R.R., and Popper, A.N. (Eds). Springer Handbook of Auditory Research: Noise-Induced Hearing Loss: Scientific Advances. Vol. 40. Springer Science and Business Media, LLC, New York.

Henderson, D., **Bielefeld, E.C.**, Lobarinas, E., and Tanaka, C. (2011) Noise-Induced Hearing Loss: Implication for Tinnitus. In: Møller, A.R., Langguth, B., DeRidder, D., and Kleinjung, T. (Eds.), Textbook of Tinnitus. Springer, New York. pp. 301-310.

Henderson, D., Hu, B.H., and **Bielefeld, E.** (2008) Patterns and Mechanisms of Noise-Induced Cochlear Pathology. In: Schacht, J., Popper, A.N., and Fay, R.R. (Eds.), Springer Handbook of Auditory Research: Auditory Trauma, Protection, and Repair. Vol. 31. Springer, New York. pp. 195-218.

Henderson, D., Hu, B.H., **Bielefeld, E.**, and Nicotera, T. (2007). Cellular Mechanisms of Noise-induced Hearing Loss. In Campbell, K.C.M. (Ed.) Pharmacology and Ototoxicity for Audiologists. Thomson Delmar Learning, Clifton Park, NY. pp 216-229.